

A SURVEY ON MOBILE CLOUD COMPUTING

¹Mahendra Singh Panwar, ²Upendra Varshney, ³Shantanu Varshney

¹Compucom Institute of Information Technology & Management, Jaipur

²Compucom Institute of Information Technology & Management, Jaipur

³Compucom Institute of Information Technology & Management, Jaipur

ABSTRACT: Cloud computing made great impression in the Information Technology (IT) sector. Cloud computing is a way to increase adeptness or add aptitudes to energetically add. Recently, the mistreatment of cloud properties to increase mobile devices has led to the emergence of a new study area called Mobile Cloud Computing (MCC). This survey paper discusses with the rapid development of mobile cloud computing (MCC). In this work, we present a survey and taxonomy for MCC architecture, characteristics, and open research issues aim to explore deep research in this area. Finally, the characteristics and security needs in MCC are examined.

Keywords: Cloud computing, Mobile Computing, Mobile Cloud Computing, MCC security needs.

I. INTRODUCTION

Cloud Computing delivers a surrounds for reserve sharing in terms of ascendance contexts, middleware's and request expansion stages, and business applications. The process replicas of cloud calculating grasp free substructure facilities with value additional stage facilities, subscription-based substructure facilities with supplemental application services, and free services for sellers but sharing of revenues generated from shoppers. The time Cloud Computing has been out creased in specific ways by forecaster businesses, academics, occupational doctors and IT businesses. Vapors is an oversized pool of just operational and available virtualized properties. These properties may be energetically reconfigured to normalize to a adjustable load (scale), authorizing furthermore for an best resource operation.



Figure 1: Cloud Computing.

Cloud computing is the most popular topic in IT business. Google, Amazon, Yahoo and other web service suppliers, IBM, Microsoft and another IT sellers have suggest their own cloud computing approach, many intermediate operatives are have place an exceptional deal of consideration on cloud calculating, the appallingly low price of cloud computing platform develops the key application of the professional.[1]

In the latest several years, the hardware and software of smart mobile device (SMD) have received the revolutionary development. However, the rapid increasing of variety mobile applications (such as natural language translators, image processors et al.) require higher computing power, memory, and battery power, and SMD shows low-potential capability for the computationally intensive applications. Providentially, the enlargement of mobile cloud computing (MCC) delivers software-level solutions for mitigating resource constraints in SMD. MCC is the modern distributed computing classical which covers utility subtracting vision of computational mists to SMD and uses the submission dispensation facilities of computational clouds for the processing of computationally intensive applications. Nowadays, there are many researches for computational offloading. However, many of them are based on the classic distribute computing model. review some of computational offloading decisions which include improving performance and saving energy for mobile systems. Thus, we focus on the performance of the computational offloading in MCC: the feasibility of making offloading decision, the high efficiency of computational offloading framework.[2]

II. MOBILE COMPUTING

Mobile Computing is a equipment that permits broadcast of data, video and voice done a computer or several wireless allowed scheme deprived of the need to be connected to a fixed physical link. Mobile computing is constructed on a group of three key models: software, hardware, and communication, whereby the model of hardware refers to the device itself (e.g. smartphone, tablets, PDA and laptop), or their mobile mechanisms. The Software model of mobile computing refers to several mobile applications in the devices, including the anti-virus software, games and mobile browser. The communication model comprises of the protocols, arrangement of mobile networks, and data delivery in their use. The significant increase in the development of mobile devices enables users to carry them around for the purpose of communication, directions and access to the Internet. These mobile devices use wireless technologies to connect with the world as illustrated in fig. 2.



Figure 2: Mobile wireless devices used for communication around the world. [3]

III. ARCHITECTURE & CHARACTERISTICS OF MCC

The mobile cloud computing is described as an integration of cloud computing technology with mobile devices [4]. It's a new technology that makes mobile devices get what they need in the cloud. With the generalization of mobile devices, MCC will help users obtain information more conveniently.

A. Architecture of MCC

The wide-ranging construction of MCC is displayed as Fig.




Figure 3 : Architecture of MCC.

- **Mobile Network**

The transportable strategies (example, smart phone, iPad, laptop, tablet and so on) are able to be connected to the mobile network through satellite, BTSs (Base Transceiver Stations) or access points. The mobile network controls the connection of the functional interface between mobile device and network operator.

- **Internet Service**

The Internet connects mobile network with the cloud. The mobile users can access the cloud to get resources they need via internet. Users can get cloud services via 3G or 4G telecom network or wireless connections.

- **Cloud service**

There are three layers in the service-oriented cloud computing architecture: SaaS (Software as a Service), PaaS (Platform as a Service), and IaaS (Infrastructure as a Service). IaaS offers virtualization platforms such as VMs (Virtual Machines). Users can get these infrastructure services dynamically according to their requirements. PaaS provides a platform for users to build, test and deploy their applications. Users can get software and database in SaaS.

B. Characteristics of MCC

MCC is the assimilation of mobile calculating and cloud computing, so it has both appearances of mobile computing and cloud calculating.

- **Movability**

In this key distinguishing of mobile calculating. Users can get the jobs done or resources they need at any geographical location, like checking emails on a bus or searching resources in KFC.

- **Communication**

Mobile devices like smartphones have a basic function that is to communicate with each other. Besides phoning with each other, the social software is another way for users all over the world to communicate with each other.

- **Entertainment**

Nowadays smartphones supporting a variety of applications occupy most of the mobile phone market. People can use smart phone to listen to the music, watch movies, play games or whatever for entertainment.

- **Cloud computing**

Users can obtain cloud resources and services via the internet connection.

- **On-demand self-service**

Operators can be providing calculating competences (server time and system packing) on difficult mechanically. And it makes easier to response changes of demands in real time.

- **Resource pooling**

There is a pool full of computing resources provided by cloud service providers. These resources include infrastructure and network facilities, and the resource pool provides unprecedented computational capability. [4]

- **Rapid elasticity**

Facilities can be elastically conduct and unconfined in some hand baggage mechanically in relations of users' difficulties. Due to this characteristic, users can develop and deploy the services needed quickly in cloud environment.

- **Virtualization**

Virtualization is one of the basic equipment. The cloud providers can integrate resources by virtualization in order to provisioning dynamically and decreasing cost.

- **Broad network access**

Operators can access cloud via Internet by by means of client stages, like as mobile phones, tablets, workstations and as yet.

- **Measured service**

Both providers and users can monitor and control the resource being used. [4]

IV. MCC SECURITY NEEDS

To secure the data one has to identify potential threats and challenges which need to be addressed by implementing the appropriate countermeasures. There are many experiments existing in the ground of MCC, with data repetition, constancy, restricted scalability, and unreliability, obtain ability of cloud capitals, portability, trust, security and privacy. Security in wide-range is related to the significant aspects of confidentiality, integrity and availability. While designing secure systems these become the basic building blocks. These significant features of safety, apply to the three broad groups of properties which are needed to be protected - data, software and hardware capitals.

Confidentiality and Privacy refers to access to protected data only by authorized parties or systems. Improved number of celebrations, strategies and requests involved leads to an escalation in the quantity of points of entrance. This gives rise to increase in the threat of data compromise. Confidentiality is roughly equivalent to privacy.

Multi-tenancy The main article of cloud computing is reserve allocation. Numerous features of the properties are shared with, memory, plans, networks and statistics. Users are remote at a virtual level, but the hardware is not disconnected. Multi-tenancy offerings a number of confidentiality and privacy densities.

Object reusability is an significant representative of cloud substructures. Returnable objects must be sensibly measured else they generate a severe susceptibility.

Data reminiscence indications to disinclined discovery of the isolated data. It is the remaining symbol of statistics that have been in some way supposedly erased or detached. Data concealment might be penetrated accidentally due to data recall.

Integrity A main aspect of Data Security is reliability. Integrity resources that capitals can be adapted only by sanctioned events or in accredited ways and states to data, software and hardware. Statistics Honesty refers to protective data from unapproved deletion, alteration or manufacture.

Authorization is the instrument by which a scheme regulates what level of entrance a specific authentic user should have to safe capitals measured by the scheme. Due to the increased number of entities and access points in a cloud environment, authorization is crucial in assuring that only authorized entities can interact by data. Accessibility mentions

to the assets of a scheme being available and functional upon request by an accredited unit. System accessibility includes a systems capability to carry on processes uniform when certain establishments misbehave. The scheme must have the ability to remain processes even in the option of a security opening.

Network security- Altogether data flow over the system wants to be protected in order to avoid leakage of sensitive information. This involves the use of resilient network circulation encryption methods such as Protected Socket Layer (SSL) then the Transport Layer Security (TLS) for safety.

Secure Data Communication Channel must retain privacy and integrity of data communicated to and from mobile applications.[3]

V. LITERATURE REVIEW

Khanai, Ret al. [5] in paper, essayists planned a structure where every event encrypts his/her isolated data locally and uploads the cryptograph transcripts into the cloud. The cloud then performs most of the processes relating to the knowledge procedures over cipher manuscripts without meaningful the original isolated data. By strongly divesting the exclusive processes to the cloud calculation and message costs on each party nominal and autonomous to the number of contributors. To sustenance supple processes over cipher texts, novelists accept and tailor the BGN (Boneh, Goh, and Nissim) “doubly hemimorphic” encryption algorithm for the combined location.

Sajeeb Saha et al. [6] In this paper, a cloud relocation conclusion making procedure for compute-intensive responsibilities has been projected to control the probability of effecting on a cloud server in its place of a mobile device. Additionally, the presentations amongst mobile and cloud performances have been examined which show that the task conclusion time can be condensed by a issue of 6 to 8 of transportable facility when a mist server is utilized.

Bowen Zhou et al. [7] This paper recommends a code unburdening context, called mCloud, which contains of transportable strategies, nearby cloudlets and community cloud facilities, to advance the concert and obtainability of the MCC facilities. The consequence of the moveable device context (e.g. network conditions) on depositing decisions is deliberate by suggesting a context-aware divesting decision algorithm pointing to provide code unloading results at runtime on selecting wireless medium and appropriate cloud properties for discharging. We also investigate failure detection and recovery policies for our mCloud scheme. We explicate in minutiae the design and operation of the mCloud prototype structure. We behavior real research on the applied system to evaluate the presentation of the system. Results indicate the scheme and embedded decision procedure are talented to deliver decisions on choosing wireless intermediate and cloud properties created on dissimilar setting of the moveable strategies, and achieve important decrease on style span and dynamism, with the enhanced service obtainability when associated with present discharging schemes. Hongxing Li et al. [8] Mobile Edge Computing (MEC) delivers mobile and cloud computing competences within the entrance net, and goals to wed the Telco and IT at the mobile network edge. Here I this paper largesse an study on the improvement of MEC, and propositions a stage, named WiCloud, to deliver edge interacting, adjacent computing and data acquisition for innovative services. Additionally, the open encounters that must be lectured before the profitable disposition of MEC are debated.

Minseok Jang estalish al. [9] There are In this papar a mobile ad hoc cloud for mechanical video investigation scheme has been recommended. The automated video surveillance system involves the application of sophisticated image and video processing algorithms which require a vast amount of computing and storage resources. To address the issue, multiple mobile devices interconnected through a mobile ad hoc network are combined to create a virtual supercomputing node called a mobile ad hoc cloud. In order to fulfil real time requirements associated with automated video surveillance system, a task allocation scheme has been proposed. Compared to existing schemes, proposed scheme focuses on deadline-oriented tasks and energy efficiency.

VI. CONCLUSION

Mobile cloud computing is a significant approach to improve the facilities of real-time applications as it combines cloud computing technology and mobile devices. The MCC is able to provide rich mobile computing through seamless communication between cloud-mobile users and cloud providers. This paper presents an overview of MCC, focusing on its architecture. The most challenging aspects in MCC are guaranteeing user privacy and the provision of mobile application security that uses cloud resources.

REFERENCES

- [1] Palvinder Singh, Er. Anurag Jain, “Survey Paper on Cloud Computing” , International Journal of Innovations in Engineering and Technology (IJET), Vol. 3 Issue 4 April 2014.
- [2] Zhaosheng Zhang, Shuyu Li, “A Survey of Computational Offloading in Mobile Cloud Computing” , 2016 4th IEEE International Conference on Mobile Cloud Computing, Services, and Engineering.
- [3] Pallavi Kulkarni, Dr.Rajashri Khanai, Gururaj Bindagi, “SECURITY FRAMEWORKS FOR MOBILE CLOUD COMPUTING: A SURVEY” , International Conference on Electrical, Electronics, and Optimization Techniques (ICEEOT) – 2016.
- [4] Qi Fan, Li Liu, “A Survey of Challenging Issues and Approaches in Mobile Cloud Computing” , 2016 17th International Conference on Parallel and Distributed Computing, Applications and Technologies.

- [5] Khanai, R. ; Dept. of Electr. & Electron. Eng., Gogte Inst. of Technology, Belgaum, India ; Kulkarni, G.H. ; Torse, D.A. "AESTURBO as a single primitive for land mobile satellite channel" Published in Electrical, Electronics and Computer Science (SCEECS), 2014 IEEE Students' Conference on 1-2 March 2014 .
- [6] Sajeeb Sahal, 2 and Mohammad S. Hasan, "Effective Task Migration to Reduce Execution Time in Mobile Cloud Computing" ,Proceedings of the 23rd International Conference on Automation & Computing, University of Huddersfield, Huddersfield, UK, 7-8 September 2017.
- [7] Bowen Zhou, Amir Vahid Dastjerdi, Rodrigo N. Calheiros, Satish Narayana Srirama, and Rajkumar Buyya, "mCloud: A Context-aware Offloading Framework for Heterogeneous Mobile Cloud" , 1939-1374 (c) 2015 IEEE.
- [8] Hongxing Li, Guochu Shou, Yihong Hu, Zhigang Guo , "Mobile Edge Computing: Progress and Challenges " , 2016 4th IEEE International Conference on Mobile Cloud Computing, Services, and Engineering.
- [9] Minseok Jang and Myong-Soon Park , Sayed Chhattan Shah , "A Mobile Ad hoc Cloud for Automated Video Surveillance System" , 2017 Workshop on Computing, Networking and Communications (CNC).