

High Temperature Superconductivity A Technology of 21st Century

Suvarn Patel¹

Vadod Institute of Engineering and Research

Abstract—This paper gives an overview of the operating precept, characteristics, type, benefit and packages of superconductors. The paper additionally provides the recent development, circuits, gadgets & structures the use of high temperature superconductors. short introduction of cry coolers and cryopackaging also had been covered. The paper gives information to readers with present day fame and performance competencies of high Temperature

I. INTRODUCTION

Superconductivity is one of the most captivating chapters of present day physics. it has been a continuous supply of notion for specific geographical regions of physics and has proven a brilliant capacity of move-fertilization, to say not anything of its severa technological packages. earlier than giving a extra accurate definition of this phenomenon allow us to however in short sketch the historic direction main to it. have been the principle steps within the discovery of superconductivity. the previous become because of Kamerlingh Onnes (Kamerlingh Onnes, 1911) who found that the electrical resistance of numerous metals, e. g. mercury, lead, tin and plenty of others, disappeared when the temperature turned into reduced below some vital cost T_c . The real values of T_c various with the steel, but they have been all of the order of some k, or at maximum of the order of tenths of a ok. in the end best diamagnetism in superconductors turned into observed (Meissner and Ochsenfeld, 1933). This property not handiest means that magnetic fields are excluded from superconductors, however also that any discipline at the start gift within the steel is expelled from it when lowering the temperature under its important cost. those features were captured in the equations proposed with the aid of the brothers F. and H. London (London and London, 1935) who first realized the quantum individual of the phenomenon. the decade starting in 1950 became the level of two most important theoretical breakthroughs record is a template for Microsoft phrase variations 6.0 or later. First, Ginzburg and Landau (GL) created a idea describing the transition among the superconducting and the everyday levels (Ginzburg and Landau, 1950). it could be referred to that, while it appeared, the GL principle seemed as a substitute phenomenological and become no longer without a doubt preferred in the western literature. Seven

years later Bardeen, Cooper and Schrieffer (BCS) created the microscopic principle that bears their call (Bardeen et al., 1957). Their idea was based totally on the fundamental theorem (Cooper, 1956), which states that, for a machine of many

electrons at small T , any weak appeal, irrespective of how small it's miles, can bind electrons together, forming the so called Cooper pair. ultimately in (Gor'kov, 1959) it become found out that the GL concept became equal to the BCS concept around the critical point, and this end result vindicated the GL concept as a masterpiece in physics. moreover Gor'kov proved that the essential portions of the two theories, i.e. the BCS parameter gap Δ and the GL wavefunction ψ , had been related through a proportionality consistent and ψ can be concept of because the Cooper pair wave characteristic in the middle-of-mass frame. In a sense, the GL theory was the prototype of the current effective theories; no matter its hindrance to the section transition it has a bigger field of utility, as proven as an instance by using its use within the inhomogeneous cases, while the space isn't always uniform in space. any other first rate boost in these years became the Abrikosov's theory of the sort II superconductors (Abrikosov, 1957), a category of superconductors allowing a penetration of the magnetic field. The Nobel Prize winning discovery of high-temperature Superconductivity in 1986, has sparked a global research and development effect over the last 18 years. The HTS era allows the use of cooling systems, an awful lot smaller less expensive examine to low temperature exquisite conductors. The superconductors have the ability to behavior electrical cutting-edge with very small resistance (0 at D.C.), no strength loss, no generation of warmth and substantially decreased

noise degrees. The difference between normal conductor and superconductor is that at room temperature, the normal conductors behave as right conductors at the same time as superconductors behave as a really perfect insulator. but when the temperature reaches to the important temperature i.e. 77K(-196oC), the normal conductors become in addition accurate conductors even as superconductors come to be extra-normal exact conductors i.e. superconductors. The conductivity of superconductors can be one thousand instances greater than everyday conductors. as an example in terrific conductors the present day may additionally drift up to a few years with none detectable.

II.PRINCIPLE AND CHAEARCTERISTICS OF SUPERCONDUCTORS

The phenomenon of superconductivity is occurred due to solidification of oxygen molecules, through methods. either by means of cooling up to transition or crucial temperature at normal atmospheric stress or at room temperature by using making use of extremely high pressure (within the variety of 60-70 times of atmospheric pressure).

Superconductivity become explained by using Bardeen, Cooper and Schrieffer in BCS idea. according to this principle, at unique temperature referred to as the transition or critical temperature (T_c), the electrons in sure materials, pair up and form a unmarried quantum country, performing like a friction much less liquid and becoming first rate undertaking.

Superconductors have specific characteristics that range from those of regular conductors. The floor resistance of superconductors depends upon applied area main to non-linear ties and generations of inter modulation products. Superconductors have frequency unbiased penetration intensity that decide field penetration in to the material in preference to the pores and skin depth of ordinary conductors. The traits of magnetically levitation are defined as Meissner effect .The impact relates to the superconductor capability to expel the magnetic field i.e. the superconductors are perfect diamagnets. The characteristics makes it feasible to suspend a magnet in midair over a piece of incredible engaging in material. The traits of flux quantum makes it viable to construct extremely touchy magnetometer devices capable of measuring extremely low levels of magnetic fields. Such magnetometers are called exquisite engaging in quantum interface gadgets (SQUIDS). The superconductors may have present day density as much as 106amp/cm2.a few vital traits ***of superconductors:***

1. Effect of surface resistance due to temperature:

Temperature	Surface Resistance
25K	0.100 mohms
50 K	0.200 mohms
75 K	1.00 mohms
100K	20.00 mohms
150K	50.00 mohms
200K	80.00 mohms

I. SUPERCONDUCTING material

Superconductivity become first observed in 1911 by means of a Dutch-Physicist, Heike Kammerlingh Onnes, till 1986, researchers had not recognized any material that might turn out to be brilliant undertaking with a essential temperature better than 23K. Such materials were called Low temperature first rate carrying out substances. because 1986, a new elegance of ceramic substances that superconductor at temperature as high as a hundred thirty k, has been recognized. HTS materials have advantages over LTS substances because they can be cooled at economically and commercially feasible temperatures. There are two sorts of superconductors. type-one-very natural samples of lead mercury and tin. type-two-excessive temperature ceramic wonderful conductors inclusive of

1. Yttrium Barium copper oxide (YBCO) Tc: 86K
2. Bismuth Calcium Strontium Copper Oxide (BCSCO i.e. $\text{Bi}_2\text{CaSr}_2\text{Cu}_3\text{O}_9$) Tc: ninety-100K.
3. Thallium-Barium-Calcium-Copper-Oxide (TBCCO) TC: a hundred twenty five-130K.

Conductivity of Superconductors can be a thousand times of the regular conductors. the benefit of cooling new first-rate conductors has substantially stimulated substantial efforts inside the improvement of latest materials.

The HTS skinny films (amazing conductors) are deposited on low loss dielectric substrates and are processed the usage of standard photolithography. The maximum widely used substrates are Lanthanum Aluminates (LaAlO_3 , Er=23.five), Magnesium oxide Cuprous buffer layers also can be used to provide the approximate lattice fit to HTS thin movies. Thickness of HTS skinny films is zero.3-zero.five microns, with fine element as much as 50,000. Substrate thickness varies from zero.25mm to 1.0mm.

II.COOLING OF SUPERCONDUCTORS

Sterling cycle cry coolers are available in open marketplace. Low, medium and excessive potential cryocoolers with operating reliability upto 7 years are available in open marketplace. specs of an average cry cooler: u.s.a., and about five-six Satellites through Israel, Russia and eu international locations have been despatched to area. eu agencies have deliberate to apply notable conductors in area stations. The distinct international locations may launch nine-10 satellites through the 12 months 2010. 50,000 Megawatts, great accomplishing strength generator is underneath construction in Japan.

end

i) potential of cooling:

3-4 watt of the tool under take a look at (DUT)

ii) bloodless storage temperature: 77K(-196oC)

iii) enter working electricity: 90W for cryomechine 10W for fan controller

iv) suggest Time earlier than Failure (MTBF): 7 years of Operation

v) Weight and length: 1Kg (to onwards) 8”(L)*4ø.

- applications of Superconductors
- energy technology and transmission: generators, motors, transformers, Inductors, energy garage.
- Transportation systems: Magnetically levitated automobiles, trains at the rate of 500-600 Km/hr.
- business/ commercial: Sensors, transducers, magnetic protective, excessive discipline magnets and many others.
- scientific (commercial): Squads, magnetometers, aerobic picture devices, Magnetic resonance image (MRI) screening gadget and so on.
- verbal exchange: For HTS filters, transmitters, delay strains, switches, ground and area the front-ends, Oscillators, patch antennas utility.
- gift and destiny of

great Conductor technology

approximately a hundred producers/companies are concerned in layout and development of diverse varieties of fantastic conducting circuits /devices/systems for extraordinary packages. usa, Russia, Japan, uk, Israel, Germany, France and a few other international locations have evolved many industrial gadgets to be had within the open marketplace. thus far ARGOS-I, II, III satellites by using usa, and about 5-six Satellites via Israel, Russia and ecu international locations have been sent to area. eu businesses have deliberate to use terrific conductors in space stations. The different international locations may launch 9-10 satellites by way of the 12 months 2010. 50,000 Megawatts, terrific accomplishing electricity generator is below construction in Japan.

III. CONCLUSION

The possible discovery of room temperature superconductivity has the ability to bring first-rate accomplishing gadgets in to our each day lives. greater than a hundred companies round the arena have got down to commercialized HTS devices/systems during the last fifteen years. Technical performance of lengthy and kingdom-of the artwork HTS wires, magnets, cables, leads for electric powered currents, sensors, switches, the front ends with low noise, Transducers, patch circuits and many others. have already are available to industrial use. In destiny, the fee of HTS primarily based structures will be down, leading to good sized benefits in performance and electricity saving and may be helpful for welfare of the humankind. via the usage of outstanding conductor era the discount in size and weight may be decreased by means of eighty-ninety% evaluate to present technology.

REFERENCES

- i) IEEE Transactions, Microwave Theory and Techniques (Special Issue) Volume-44, Jul 1996.
- ii) IEEE Transactions, Applied super conductivity (special Issue) Volume-7, June 1997.
- iii) IEEE Transactions, Microwave Theory and Techniques (Special Issue) Volume-48, Jul 2000.